


### **SETTING THE TIME**

1. Pull the crown out to position (2) when the second hand is at the 12 o'clock position.
2. Turn the crown to set the minute/hour hands to the desired time.
3. Push the crown back to position (0).

### **SETTING THE DATE**

1. Pull the crown out to position (1).
2. Turn the crown counter-clockwise to set the date.  
\*Do not set the date between 9:00 P.M. and 1:00 A.M., otherwise the day may not change properly.
3. Push the crown back to position (0).



## 繁體


### 時間調整

1. 秒針於12時位置時，將錶冠拉出至位置(2)。
2. 旋轉錶冠以調校時針和分針至目標時間。
3. 將錶冠推回至位置(0)。

### 調整日期

1. 將錶冠拉出至位置(1)。
2. 以逆時針方向旋轉錶冠直至希望的日期。
3. 將錶冠推回至位置(0)。

\*請勿在晚上9:00至凌晨4:00設定日期，  
避免出現不準確的可能性。



## 筒体

### 时间调整

1. 秒针于12时位置时，将表冠拉出至位置(2)。
2. 旋转表冠以调校时针和分针至目标时间。
3. 将表冠推回至位置(0)。

### 调整日期

1. 将表冠拉出至位置(1)。
2. 以逆时针方向旋转表冠直至希望的日期。
3. 将表冠推回至位置(0)。

\*请勿在晚上9:00至凌晨4:00设定日期，  
避免出现不准确的可能性。